


MUW・ドレーン

■ 形 状 図




■ 規 格 表

呼び名 (幅×高さ)	寸 法 (m/m)															参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	h1	h2	h3	B'	
30×30	520	720	465	300	300	300	50	55	110	70	95	340	80	45	200	606
30×40	520	720	565	300	300	400	50	55	110	70	95	440	80	45	200	709
30×50	520	720	665	300	300	500	50	55	110	70	95	540	80	45	200	812
30×60	520	720	765	300	300	600	50	55	110	70	95	640	80	45	200	915
30×70	520	770	885	300	300	700	50	55	110	90	95	740	100	45	250	1049
30×80	520	770	985	300	300	800	50	55	110	90	95	840	100	45	250	1152
30×90	520	770	1085	300	300	900	50	55	110	90	95	940	100	45	250	1255
30×100	520	820	1205	300	300	1000	50	55	110	110	95	1040	120	45	300	1395
30×110	520	820	1305	300	300	1100	50	55	110	110	95	1140	120	45	300	1498
30×120	520	820	1405	300	300	1200	50	55	110	110	95	1240	120	45	300	1601
30×130	520	920	1545	300	300	1300	50	55	110	150	95	1355	140	50	400	1778
30×140	520	920	1645	300	300	1400	50	55	110	150	95	1455	140	50	400	1881
30×150	520	920	1745	300	300	1500	50	55	110	150	95	1555	140	50	400	1984
40×40	630	830	590	400	400	400	55	55	115	80	110	465	80	45	200	806
40×50	630	830	690	400	400	500	55	55	115	80	110	565	80	45	200	914
40×60	630	830	790	400	400	600	55	55	115	80	110	665	80	45	200	1022
40×70	630	830	890	400	400	700	55	55	115	80	110	765	80	45	200	1130
40×80	630	880	1010	400	400	800	55	55	115	100	110	865	100	45	250	1269
40×90	630	880	1110	400	400	900	55	55	115	100	110	965	100	45	250	1372
40×100	630	880	1210	400	400	1000	55	55	115	100	110	1065	100	45	250	1480
40×110	630	930	1330	400	400	1100	55	55	115	120	110	1165	120	45	300	1625
40×120	630	930	1430	400	400	1200	55	55	115	120	110	1265	120	45	300	1733
40×130	630	930	1530	400	400	1300	55	55	115	120	110	1365	120	45	300	1844
40×140	630	930	1630	400	400	1400	55	55	115	120	110	1465	120	45	300	1952
40×150	630	930	1730	400	400	1500	55	55	115	120	110	1565	120	45	300	2060

MUW・ドレーン

■ 形 状 図




■ 規 格 表


呼び名 (幅×高さ)	寸 法 (mm)															参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	h1	h2	h3	B'	
50×50	750	1050	715	500	500	500	60	60	125	90	125	545	120	50	300	1124
50×60	750	1050	815	500	500	600	60	60	125	90	125	645	120	50	300	1241
50×70	750	1050	915	500	500	700	60	60	125	90	125	745	120	50	300	1358
50×80	750	1100	1035	500	500	800	60	60	125	110	125	845	140	50	350	1517
50×90	750	1100	1135	500	500	900	60	60	125	110	125	945	140	50	350	1634
50×100	750	1100	1235	500	500	1000	60	60	125	110	125	1045	140	50	350	1751
50×110	750	1150	1355	500	500	1100	60	60	125	130	125	1145	160	50	400	1915
50×120	750	1150	1455	500	500	1200	60	60	125	130	125	1245	160	50	400	2032
50×130	750	1150	1555	500	500	1300	60	60	125	130	125	1345	160	50	400	2149
50×140	750	1150	1655	500	500	1400	60	60	125	130	125	1455	160	50	400	2266
50×150	750	1150	1755	500	500	1500	60	60	125	130	125	1545	160	50	400	2383
60×60	860	1260	865	600	600	600	60	65	130	120	145	670	140	55	400	1457
60×70	860	1260	965	600	600	700	60	65	130	120	145	770	140	55	400	1577
60×80	860	1260	1065	600	600	800	60	65	130	120	145	870	140	55	400	1697
60×90	860	1260	1165	600	600	900	60	65	130	120	145	970	140	55	400	1817
60×100	860	1260	1265	600	600	1000	60	65	130	120	145	1070	140	55	400	1937
60×110	860	1310	1395	600	600	1100	60	65	130	150	145	1170	160	55	450	2107
60×120	860	1310	1495	600	600	1200	60	65	130	150	145	1270	160	55	450	2227
60×130	860	1310	1595	600	600	1300	60	65	130	150	145	1370	160	55	450	2347
60×140	860	1310	1695	600	600	1400	60	65	130	150	145	1470	160	55	450	2467
60×150	860	1310	1795	600	600	1500	60	65	130	150	145	1570	160	55	450	2587

MUW 施 工 例


Aタイプ




Cタイプ



Bタイプ




特殊タイプ



MUW勾配調整側溝

■ 形 状 図




■ 規 格 表

呼び名 (幅×高さ)	寸 法 (mm)															参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	h1	h2	h3	B'	
30×30	520	720	465	300	300	300	50	55	110	70	95	340	80	45	200	599
30×40	520	720	565	300	300	400	50	55	110	70	95	440	80	45	200	703
30×50	520	720	665	300	300	500	50	55	110	70	95	540	80	45	200	806
30×60	520	720	765	300	300	600	50	55	110	70	95	640	80	45	200	909
30×70	520	770	885	300	300	700	50	55	110	90	95	740	100	45	250	1043
30×80	520	770	985	300	300	800	50	55	110	90	95	840	100	45	250	1146
30×90	520	770	1085	300	300	900	50	55	110	90	95	940	100	45	250	1249
30×100	520	820	1205	300	300	1000	50	55	110	110	95	1040	120	45	300	1389
30×110	520	820	1305	300	300	1100	50	55	110	110	95	1140	120	45	300	1492
30×120	520	820	1405	300	300	1200	50	55	110	110	95	1240	120	45	300	1595
30×130	520	920	1545	300	300	1300	50	55	110	150	95	1355	140	50	400	1772
30×140	520	920	1645	300	300	1400	50	55	110	150	95	1455	140	50	400	1875
30×150	520	920	1745	300	300	1500	50	55	110	150	95	1555	140	50	400	1987
40×40	630	830	590	400	400	400	55	55	115	80	110	465	80	45	200	790
40×50	630	830	690	400	400	500	55	55	115	80	110	565	80	45	200	898
40×60	630	830	790	400	400	600	55	55	115	80	110	665	80	45	200	1006
40×70	630	830	890	400	400	700	55	55	115	80	110	765	80	45	200	1114
40×80	630	880	1010	400	400	800	55	55	115	100	110	865	100	45	250	1253
40×90	630	880	1110	400	400	900	55	55	115	100	110	965	100	45	250	1356
40×100	630	880	1210	400	400	1000	55	55	115	100	110	1065	100	45	250	1464
40×110	630	930	1330	400	400	1100	55	55	115	120	110	1165	120	45	300	1609
40×120	630	930	1430	400	400	1200	55	55	115	120	110	1265	120	45	300	1717
40×130	630	930	1530	400	400	1300	55	55	115	120	110	1365	120	45	300	1828
40×140	630	930	1630	400	400	1400	55	55	115	120	110	1465	120	45	300	1936
40×150	630	930	1730	400	400	1500	55	55	115	120	110	1565	120	45	300	2044

MUW勾配調整側溝

■ 形状図




■ 規格表

呼び名 (幅×高さ)	寸 法 (mm)															参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	h1	h2	h3	B'	
50×50	750	1050	715	500	500	500	60	60	125	90	125	545	120	50	300	1101
50×60	750	1050	815	500	500	600	60	60	125	90	125	645	120	50	300	1218
50×70	750	1050	915	500	500	700	60	60	125	90	125	745	120	50	300	1335
50×80	750	1100	1035	500	500	800	60	60	125	110	125	845	140	50	350	1494
50×90	750	1100	1135	500	500	900	60	60	125	110	125	945	140	50	350	1611
50×100	750	1100	1235	500	500	1000	60	60	125	110	125	1045	140	50	350	1728
50×110	750	1150	1355	500	500	1100	60	60	125	130	125	1145	160	50	400	1892
50×120	750	1150	1455	500	500	1200	60	60	125	130	125	1245	160	50	400	2009
50×130	750	1150	1555	500	500	1300	60	60	125	130	125	1345	160	50	400	2126
50×140	750	1150	1655	500	500	1400	60	60	125	130	125	1445	160	50	400	2243
50×150	750	1150	1755	500	500	1500	60	60	125	130	125	1545	160	50	400	2360
60×60	860	1260	865	600	600	600	60	65	130	120	145	670	140	55	400	1425
60×70	860	1260	965	600	600	700	60	65	130	120	145	770	140	55	400	1545
60×80	860	1260	1065	600	600	800	60	65	130	120	145	870	140	55	400	1665
60×90	860	1260	1165	600	600	900	60	65	130	120	145	970	140	55	400	1785
60×100	860	1260	1265	600	600	1000	60	65	130	120	145	1070	140	55	400	1905
60×110	860	1310	1395	600	600	1100	60	65	130	150	145	1170	160	55	450	2075
60×120	860	1310	1495	600	600	1200	60	65	130	150	145	1270	160	55	450	2195
60×130	860	1310	1595	600	600	1300	60	65	130	150	145	1370	160	55	450	2315
60×140	860	1310	1695	600	600	1400	60	65	130	150	145	1470	160	55	450	2435
60×150	860	1310	1795	600	600	1500	60	65	130	150	145	1570	160	55	450	2555

MUW・ドレーン（L無）

■ 形状図




■ 規格表

呼び名 (幅×高さ)	寸 法 (m/m)											参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	
30×30	520	520	465	300	300	300	50	55	110	70	95	526
30×40	520	520	565	300	300	400	50	55	110	70	95	629
30×50	520	520	665	300	300	500	50	55	110	70	95	732
30×60	520	520	765	300	300	600	50	55	110	70	95	835
30×70	520	520	885	300	300	700	50	55	110	90	95	937
30×80	520	520	985	300	300	800	50	55	110	90	95	1040
30×90	520	520	1085	300	300	900	50	55	110	90	95	1143
30×100	520	520	1205	300	300	1000	50	55	110	110	95	1247
30×110	520	520	1305	300	300	1100	50	55	110	110	95	1350
30×120	520	520	1405	300	300	1200	50	55	110	110	95	1453
30×130	520	520	1545	300	300	1300	50	55	110	150	95	1552
30×140	520	520	1645	300	300	1400	50	55	110	150	95	1655
30×150	520	520	1745	300	300	1500	50	55	110	150	95	1758
40×30	630	630	490	400	400	400	55	55	115	80	110	618
40×40	630	630	590	400	400	400	55	55	115	80	110	726
40×50	630	630	690	400	400	500	55	55	115	80	110	834
40×60	630	630	790	400	400	600	55	55	115	80	110	942
40×70	630	630	890	400	400	700	55	55	115	80	110	1050
40×80	630	630	1010	400	400	800	55	55	115	100	110	1157
40×90	630	630	1110	400	400	900	55	55	115	100	110	1260
40×100	630	630	1210	400	400	1000	55	55	115	100	110	1368
40×110	630	630	1330	400	400	1100	55	55	115	120	110	1424
40×120	630	630	1430	400	400	1200	55	55	115	120	110	1585
40×130	630	630	1530	400	400	1300	55	55	115	120	110	1696
40×140	630	630	1630	400	400	1400	55	55	115	120	110	1804
40×150	630	630	1730	400	400	1500	55	55	115	120	110	1912

MUW・ドレーン（L無）

■ 形 状 図




■ 規 格 表

呼び名 (幅×高さ)	寸 法 (mm)											参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	
50×30	750	750	515	500	500	300	60	60	125	90	125	774
50×40	750	750	615	500	500	400	60	60	125	90	125	891
50×50	750	750	715	500	500	500	60	60	125	90	125	1009
50×60	750	750	815	500	500	600	60	60	125	90	125	1086
50×70	750	750	915	500	500	700	60	60	125	90	125	1203
50×80	750	750	1035	500	500	800	60	60	125	110	125	1320
50×90	750	750	1135	500	500	900	60	60	125	110	125	1437
50×100	750	750	1235	500	500	1000	60	60	125	110	125	1554
50×110	750	750	1355	500	500	1100	60	60	125	130	125	1671
50×120	750	750	1455	500	500	1200	60	60	125	130	125	1788
50×130	750	750	1555	500	500	1300	60	60	125	130	125	1905
50×140	750	750	1655	500	500	1400	60	60	125	130	125	2022
50×150	750	750	1755	500	500	1500	60	60	125	130	125	2139
60×30	860	860	565	600	600	300	60	60	130	120	145	869
60×40	860	860	665	600	600	400	60	60	130	120	145	987
60×50	860	860	765	600	600	500	60	60	130	120	145	1104
60×60	860	860	865	600	600	600	60	65	130	120	145	1222
60×70	860	860	965	600	600	700	60	65	130	120	145	1342
60×80	860	860	1065	600	600	800	60	65	130	120	145	1462
60×90	860	860	1165	600	600	900	60	65	130	120	145	1582
60×100	860	860	1265	600	600	1000	60	65	130	120	145	1702
60×110	860	860	1395	600	600	1100	60	65	130	150	145	1822
60×120	860	860	1495	600	600	1200	60	65	130	150	145	1942
60×130	860	860	1595	600	600	1300	60	65	130	150	145	2062
60×140	860	860	1695	600	600	1400	60	65	130	150	145	2182
60×150	860	860	1795	600	600	1500	60	65	130	150	145	2302

MUW勾配調整側溝（L無）

■ 形状図




■ 規格表

※切欠部 V=0.003m³

呼び名 (幅×高さ)	寸 法											参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	
30×30	520	720	465	300	300	300	50	55	110	70	95	519
30×40	520	720	565	300	300	400	50	55	110	70	95	623
30×50	520	720	665	300	300	500	50	55	110	70	95	726
30×60	520	720	765	300	300	600	50	55	110	70	95	829
30×70	520	770	885	300	300	700	50	55	110	90	95	931
30×80	520	770	985	300	300	800	50	55	110	90	95	1034
30×90	520	770	1085	300	300	900	50	55	110	90	95	1137
30×100	520	820	1205	300	300	1000	50	55	110	110	95	1241
30×110	520	820	1305	300	300	1100	50	55	110	110	95	1344
30×120	520	820	1405	300	300	1200	50	55	110	110	95	1447
30×130	520	920	1545	300	300	1300	50	55	110	150	95	1546
30×140	520	920	1645	300	300	1400	50	55	110	150	95	1649
30×150	520	920	1745	300	300	1500	50	55	110	150	95	1752
40×30	630	830	490	400	400	400	55	55	115	80	110	602
40×40	630	830	590	400	400	400	55	55	115	80	110	710
40×50	630	830	690	400	400	500	55	55	115	80	110	818
40×60	630	830	790	400	400	600	55	55	115	80	110	926
40×70	630	830	890	400	400	700	55	55	115	80	110	1034
40×80	630	880	1010	400	400	800	55	55	115	100	110	1141
40×90	630	880	1110	400	400	900	55	55	115	100	110	1244
40×100	630	880	1210	400	400	1000	55	55	115	100	110	1352
40×110	630	930	1330	400	400	1100	55	55	115	120	110	1461
40×120	630	930	1430	400	400	1200	55	55	115	120	110	1569
40×130	630	930	1530	400	400	1300	55	55	115	120	110	1680
40×140	630	930	1630	400	400	1400	55	55	115	120	110	1788
40×150	630	930	1730	400	400	1500	55	55	115	120	110	1896

MUW勾配調整側溝（L無）

■ 形 状 図




■ 規 格 表

※切欠部 V=0.003m3

呼び名 (幅×高さ)	寸 法											参考重量 (kg)
	A	B	H	a	b	c	d	d'	e	f	t	
50×30	750	750	515	500	500	300	60	60	125	90	125	758
50×40	750	750	615	500	500	400	60	60	125	90	125	875
50×50	750	750	715	500	500	500	60	60	125	90	125	946
50×60	750	750	815	500	500	600	60	60	125	90	125	1063
50×70	750	750	915	500	500	700	60	60	125	90	125	1180
50×80	750	750	1035	500	500	800	60	60	125	110	125	1297
50×90	750	750	1135	500	500	900	60	60	125	110	125	1414
50×100	750	750	1235	500	500	1000	60	60	125	110	125	1531
50×110	750	750	1355	500	500	1100	60	60	125	130	125	1648
50×120	750	750	1455	500	500	1200	60	60	125	130	125	1765
50×130	750	750	1555	500	500	1300	60	60	125	130	125	1882
50×140	750	750	1655	500	500	1400	60	60	125	130	125	1999
50×150	750	750	1755	500	500	1500	60	60	125	130	125	2116
60×30	860	860	565	600	600	300	60	65	130	120	145	853
60×40	860	860	665	600	600	400	60	65	130	120	145	971
60×50	860	860	765	600	600	500	60	65	130	120	145	1088
60×60	860	860	865	600	600	600	60	65	130	120	145	1190
60×70	860	860	965	600	600	700	60	65	130	120	145	1310
60×80	860	860	1065	600	600	800	60	65	130	120	145	1430
60×90	860	860	1165	600	600	900	60	65	130	120	145	1550
60×100	860	860	1265	600	600	1000	60	65	130	120	145	1670
60×110	860	860	1395	600	600	1100	60	65	130	150	145	1790
60×120	860	860	1495	600	600	1200	60	65	130	150	145	1910
60×130	860	860	1595	600	600	1300	60	65	130	150	145	2030
60×140	860	860	1695	600	600	1400	60	65	130	150	145	2150
60×150	860	860	1795	600	600	1500	60	65	130	150	145	2270

防護柵用MUWドレーンふた板

■ 形 状 図



■ 規 格 表

呼び名	参考重量 (kg)	寸 法 (m/m)								
		a	b	c	d	e	A	H	h1	h2
300	66	462	50	402	180	88	282	195	95	100
400	87	567	55	502	185	93	382	210	110	100
500	113	682	60	612	190	107	492	225	125	100
600	146	792	60	722	190	107	602	245	145	100

※ 穴無しも製造出来ます。